UNCLASSIFIED

AD_ 462328

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXANDRIA. VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY: PPG 62328

OFFICE OF NAVAL RESEARCH

Contract No. Nonr-4424(00)

Task No. NR051-460

Technical Report No. 11

PHYSICAL CHEMISTRY OF THE DEEP OCEAN ENVIRONMENT

by R. A. Horne

Prepared for presentation before the Marine Sciences and Research Section of the Second U.S. Navy Symposium on Military Oceanography

Washington D.C., May 1965

Arthur D. Little, Inc. 15 Acorn Park Cambridge, Massachusetts



May 1, 1965

Reproduction in whole or in part is permitted for any purpose of the United States Government

462328

Best Available Copy

UNCLASSIFIED

PHYSICAL CHEMISTRY OF THE DEEP OCEAN ENVIRONMENT

by

R. A. Horne
Arthur D. Little, Inc., Cambridge, Massachusetts 02140

INTRODUCTION

Naval operations occur above, on, and in a medium which is easily one of the most complex and ill-understood substances known to man - sea water. The concurrence of relatively low temperatures (-1 to $+4^{\circ}$ C) and high hydrostatic pressures (up to about 15,000 lbs/in²) in the ocean depths further complicates the situation and makes the deep ocean perhaps the most extraordinary environment in our universe. This paper reviews the results of some simple experiments which we have performed in our laboratory over recent years in a simulated deep ocean environment (Fig 1).

THE STRUCTURE OF SEA WATER*

There are several theories of the structure of water. There is also a minority opinion which insists that water has no structure at all. But at the present time in the United States the most popular model for the state of affairs in pure water appears to be that of Frank and Wen (1957), who proposed that water consists of transient "clusters" of re-or-less ordered, H-bonded water (sometimes, perhaps unfortunately, referred to as "ice-like") swimming in and in equilibrium with "free", monomeric water (Fig 2). Nemethy and Scheraga (1962) have calculated the size and concentration of these clusters as a function of temperature. The application of pressure or the addition of an electrolyte also affect the extent of water structure.

Roughly speaking sea water is an 0.5M NaCl solution with a trace of MgSO4. The addition of electrolytes further complicates the structure of the system. If an ion, such as Na $^+$, is placed in water the coulombic attraction between the ion's charge and the partial charges of opposite sign of the water dipoles results in a crowding or "electrostriction" of the water molecules about the ion and an overall volume decrease (Fig 3). If the spacial distribution of water molecules in the first solvation sheath of an ion is symmetrical, such as $\text{Na}(\text{H}_2\text{O})_4^+$, the ion will be a structure-maker and will tend to make the surrounding water more ordered as reflected in an increase in

For a more detailed discussion of the physical chemistry and structure of sea water see R. A. Horne, <u>J. Water Resources Res.</u>, in press, 1965.

relative viscosity (Fig 4) whereas if the first hydration sheath is assymmetrical, such as $K(H_20)^+$ or $C1(H_20)^-$, the ion will be a structure-breaker and will tend to make the surrounding water less ordered as reflected in a decrease in relative viscosity (Fig 4) (Horne, 1964). $Mg(H_20)_6^{++}$ $SO_4(H_20)_{12}^{-}$, it is interesting to note, like many other 2:2 electrolytes is a very powerful structure-maker (Fig 4).

THE ELECTRICAL CONDUCTIVITY OF SEA WATER

Electrical conductivity, \bigwedge , can be treated as a rate process and its activation energy, E_a , calculated from the integrated form the the Arrhenius equation

where the T's are absolute temperatures. $E_{a,cond}$ for sea water exhibits a maximum (Fig 5) and for chlorinities less than about 10 $^{\circ}$ /oo the maximum occurs at the temperature of maximum density (Horne, 1964). The rate-determining step of the "normal" electrical conductivity of aqueous solutions of strong 1:1 electrolytes is "hole" or vacancy formation in the solvent. The process occurs both in the free and clustered water, and the decrease in $E_{a,cond}$ with decreasing temperatures at temperatures below the maximum reflects the fact that "hole" formation is facilitated by the increasing amount of less dense, more open, clustered water (Horne, 1964 and Horne and Courant, 1964).

We have measured the effect of pressure on the electrical conductivity of sea water (Horne and Frysinger, 1963). In the range of oceanographic interest, pressure, like temperature, decreases $E_{a,cond}$ indicating that its application tends to disorder liquid water (Horne, Myers and Frysinger, 1963). We found that Walden's rule

where is the viscosity is a good approximation for sea water under the condition of varying temperature but not varying pressure (Horne and Courant, 1964). However, we found that we were able to curve fit the observed pressure-dependence of the electrical conductivity of sea water by simple corrections for (1) the increased dissociation of MgSO₄ (Fisher, 1962), (2) the compressibility, and (3) the square of the viscosity (Horne and Courant, 1964). The apparent dependence on the isamilar arising from the reduction of the radii of hydrated ions by pressure (Horne, 1963) - a phenomenon first noted by Zisman (1932). The structural effects of pressure differ in one very important respect from those of temperature: temperature breaks up the structure of the bulk water but does not greatly affect the local water structure near ions, pressure, on the other hand, destroys both the bulk structure and the hydration atmospheres of ions.

THE VISCOSITY OF SEA WATER

On the basis of what now appears to have been a superficial similarity of their activation energies electrical conductivity, viscous flow, self-diffusion, and dielectric relaxation in water were believed to all involve the same rate-determining step (Glasstone, Laidler and Eyring, 1941, and Wang, Robinson and Edelman, 1953). However, more detailed examination, especially in the 0 to $\pm 10^{\circ}$ C region reveals important differences. Miller (1963) reports no discontinuoties in Ea, vis. at $\pm 4^{\circ}$ C in the viscosity of water and our recent measurements (Horne, Courant, Johnson, and Margosian, 1964) on both pure water and sea water yield the same result. Ea, vis., unlike Ea, cond. shows no maximum (Fig 5) hence the mechanism of viscous flow is different from that of normal conduction, possibly involving some kind of rotational tumbling of the clusters through the free water.

At the present time we are just completing an experimental study of the effect of pressure on the viscosity of pure water and sea water. The data have not been analyzed yet in detail, but qualitatively they show the same phemenona revealed by the much earlier work of Cohen (1892) on aqueous NaCl solutions, namely an initial decrease in viscosity with increasing pressure due to the destruction of the structure in liquid water and then, after the order has been destroyed, an increase in viscosity with increasing pressure as observed for "normal" non-associated liquids.

THE ELECTRICAL CONDUCTIVITY OF AQUEOUS MAGNESIUM SULFATE SOLUTIONS

Earlier we mentioned that $MgSO_4$ is a very powerful structure maker. $E_{a,cond}$ of aqueous $MgSO_4$ solutions (Horne and Johnson, 1965) has a temperature dependence similar to that of viscous flow rather than normal ionic conduction (Fig 5). Evidently $MgSO_4$ is so highly hydrated that its species are too large to fit into the "holes" and as a consequence the mechanism of their transport in aqueous solution resembles that of the water clusters.

MISCELLANEOUS STUDIES

In addition to fundamental research on the physical-chemistry of sea water we have also turned our attention to problems of more immediate practical consequence. Our interest in marine corrosion at great depths prompted us to examine the effect of pressure on the dissociation constant of the chloride complex of a constructional metal.

$$Fe C/^{++} \rightleftharpoons Fe^{+++} + C/^{-}$$

Due to electrostriction (see above) the application of pressure tends to force this reaction to the right increasing the dissociation constant by about 20 fold in going from 1 to 2,000 atmospheres (Horne, Myers and Frysinger, 1964). The performance of unshielded electro-chemical devices such as batteries on the ocean floor has been of concern to us (Horne, 1963) and

we have examined the effect of hydrostatic pressure on the electrical conductivity of some typical battery electrolytes (see Table 1) (Horne, Bannon, Sullivan and Frysinger, 1963). Notice the relatively large effect in the case of sulfuric acid due, in part, to the increased dissociation of bisulfate ion by electrostriction (Horne, Courant and Frysinger, 1964).

(+) HSO-4 = H++ SO4=

Battery Electrolyte	% Increase in Elect. Cond. at 1,000 atm. at 25°C
Potassium Hydroxide	1.5
Sulfuric Acid	5
NaCl enriched with ${ m MgCl}_2$	2

Measurements of voltage versus current for button-type Ni-Cd and Leclanche cells under simulated deep ocean conditions yielded results that still leave us baffled. We expected the structure-breaking properties of pressure to decrease the structure at the electrolyte-electrode interface thereby facilitating the transport of ions and decreasing polarization, however, contrary to expectation, polarization appears to worsen with increasing pressure (Fig.6). We hope to look into this matter further (for studies of the performance of lead-acid batteries under pressure, see Schumaker, 1961).

Certain marine sedimentary materials such as montmorillonite have exchangeable cations. The effect of pressure on ion exchange equilibria had never been previously examined. Needless to say, we could not resist the temptation of applying our equipment to this purpose. We found little effect of pressure on the K^+/H^+ exchange on a synthetic, strong, sulfonic acid type, cation exchange resin, however, in the case of the Sr^{++}/H^+ exchange as pressure increases the resin's preference for Sr^{++} increases (Horne, Courant, Myers and George, 1964). Evidently the pressure-produced dehydration of the more heaving hydrated Sr^{++} ion is more marked than for the proton, hence the charge density (and thus the coulombic attraction for the resin sites) increases more steeply with increasing pressure for Sr^{++} than for H^+).

CONCLUSION

Today one frequently hears of the application of the specialized knowledge of the various disciplines to marine science. This certainly need not be a one-way exchange of advantage. I hope that the experiments I have discussed

will provide an illustration of how what began as an interest in the simulation of the deep ocean environment in due course lead to fundamental research in solution physical chemistry. Oceanography has reopened, not a new, but a neglected field of physical chemistry, a field which I am convinced will prove to be a most fascinating and fruitful one - the effect of pressure on aqueous electrolytic solutions.

ACKNOWLEDGEMENT

This work was supported in part by the Office of Naval Research.

REFERENCES

- Frank, H. S. and Wen, W. Y. 1957 Discussions of the Faraday Society, v. 24, p. 133. 1957.
- Nemethy, G. and Scheraga, H. A. 1962 Journal of Chemical Physics, v. 36, p. 3382. 1962.
- Horne, R. A. 1964 Structure makers and breakers in water. Arthur D. Little, Inc., Technical Report number 3, ONR Contract Nonr-4424(00). 30 September 1964.
- Horne, R. A., and Courant, R. A. 1964 Journal of Geophysical Research, v. 69, p. 1152. 1964.
- Horne, R. A., and Courant, R. A. 1964 Journal of Physical Chemistry, v. 68, p. 1258. 1964.
- Horne, R. A., and Frysinger, G. R. 1963 Journal of Geophysical Research, v. 68, p. 1967. 1963.
- Horne, R. A., Myers, B. R., and Frysinger, G. R. 1963 Journal of Chemical Physics, v. 39, p. 2666. 1963.
- Horne, R. A., and Courant, R. A. 1964 Journal of Geophysical Research, v. 69, p. 1971. 1964.
- Fisher, F. H. 1962 Journal of Physical Chemistry, v. 66, p. 1607. 1962.
- Horne, R. A. 1963 Nature, v. 200, p. 418. 1963.
- Zisman, W. A. 1932 Physics Review, v. 39, p. 151. 1932.
- Glasstone, S., Laidler, K. J., and Eyring, H. 1941 The theory of rate processes. McGraw-Hill Book Company, Inc., New York, New York. 1941.
- Wang, J. H., Robinson, C. V., and Edelman, I. S. 1953 Journal of the American Chemical Society, v. 75, p. 466. 1953.

- Miller, A. A. 1963 Journal of Chemical Physics, v. 38, p. 1568. 1963.
- Horne, R. A., Courant, R. A., Johnson, D. S., and Margosian, F. F. 1964

 The activation energy of viscous flow of pure water and sea water
 in the temperature region of maximum density. Arthur D. Little, Inc.,
 Technical Report number 4, ONR Contract Nonr-4424(00). 31 October
 1964.
- Cohen, R 1892 Ann. Physik, v. 45, p. 666. 1892.
- Horne, R. A., and Johnson, D. S. 1965 The electrical conductivity and structure of aqueous magnesium sulfate solutions in the -2 to +12°C range. Arthur D. Little, Inc., Technical Report number 7, ONR Contract Nonr-4424(00). 31 January 1965.
- Horne, R. A., Myers, B. R., and Frysinger, G. R. 1964 Inorganic Chemistry, v. 3, p. 452. 1964.
- Horne, R. A. 1963 Undersea Technology, v. 4, no. 7, 16. 1963. Naval Engineering Journal, v. 7, p. 807. 1963.
- Horne, R. A, Bannon, W. J., Sullivan, E., and Frysinger, G. R. 1963 Journal of the Electrochemical Society, v. 110, p. 1282. 1963.
- Horne, R. A., Courant, R. A., and Frysinger, G. R. 1964 Journal of the Chemical Society, London, p. 1515. 1964.
- Shumaker, L. A. 1961 Evaluation of external battery power supply for bathyscaph TRIESTE for studies of the performance of lead-acid batteries under pressure. Navy Electronics Laboratory, Report number 1063. 18 August 1961.
- Horne, R. A., Courant, R. A., Myers, B. R., and George, J. H. B., Journal of Physical Chemistry, v. 68, p. 2578. 1964.

FIGURES AND TABLES

- Figure 1A High Pressure Equipment Front View
- Figure 1B High Pressure Equipment Rear View
- Figure 2 Schematic Diagram of the Frank-Wen Water Model
- Figure 3 Decrease in Water Volume Produced by Electrostriction
- Figure 4 The Effect of Electrolyte Addition on the Relative Viscosity of Water
- Figure 5 The Temperature-Dependence of the Activation Energy of Various Transport Processes in Water
- Figure 6 Discharge Characteristics of an Eveready Size AA Dry Cell at 25°C Under Pressure
- Table 1 Effect of Pressure on the Conductivity of Battery Electrolytes

High Pressure Equipment

(Manufactured by Harwood Engineering Company, Inc.)

for Simulating the Deep Ocean Environment

(-10 to +50°C, 15 to 200,000 lbs/in²)

A

Front View showing (on the left) the precision Shedlovsky-type conductivity bridge, (below) the thermostatic bath control, (above, center) the Foxboro "Dynalog" recorder which is connected to the maganin pressure cell, and (right) the cabinet housing the high pressure producing equipment with the hand pumps in the foreground.

В

Rear View showing (extreme left) the pressure intensifier, (above it and to the right) the main check valve, (left foreground) the cooling unit, (center) the thermostatic bath with the top of the pressure vessel showing, and (right) the potentiometer used in conjunction with measurements of the bath temperature.






9 UNCLASSIFIED


Schematic Diagram of the Frank-Wen Water Model

(Nemethy and Scheraga, Journal of Chemical Physics, v. 36, p. 3382. 1962.)




11

Decrease in Water Volume Produced by Electrostriction




UNCLASSIFIED

The Effect of Electrolyte Addition on the Relative Viscosity of Water



15 UNCLASSIFIED

The Temperature-Dependence of the Activation Energy of Various Transport Processes in Water




Temperature °C

17

UNCLASSIFIED

Discharge Characteristics of an Eveready Size AA Dry Cell at 25°C Under Pressure



Current Drain, amps

19 UNCLASSIFIED

	No. of	Copies
Commanding Officer Office of Naval Research Branch Office 230 North Michigan Avenue Chicago 1, Illinois	1	
Commanding Officer Office of Naval Research Branch Office 207 West 24th Street New York 11, New York	1	
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California	1	
Commanding Officer Office of Naval Research Branch Office Box 39, Navy 100 Fleet Post Office New York, New York	. 7	
Director, Naval Research Laboratory		
Washington 25, D. C. Attention: Technical Information Office Chemistry Division	r 6	
Chief of Naval Research Department of the Navy Washington 25, D. C. Attention: Code 425	2	
DDR & E Technical Library Room 3C-128, The Pentagon Washington 25, D. C.	1	
Department of the Army Supply and Maintenance Command Maintenance Readiness Division Washington 25, D. C. Attention: Technical Director	1	

(Continued)

•	No. of Copies
U.S. Army Natick Laboratories Clothing & Organic Materials Division Natick, Massachusetts Attention: Associate Director	1
Harry Diamond Laboratories Washington 25, D. C. Attention: Library	1
Office, Chief of Research & Development Department of the Army Washington 25, D. C. Attention: Physical Sciences Division	1
Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attention: Code 342A	. 2
Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D. C. Attention: Technical Library, DLI-3	4
Defense Documentation Center Cameron Station Alexandria, Virginia	20
Commanding Officer U.S. Army Electronics Research & Development Laboratory Fort Monmouth, New Jersey Attention: SELRA/DR	1
Naval Radiological Defense Laboratory San Francisco, California Attention: Technical Library	1
Naval Ordnance Test Station China Lake, California Attention: Head, Chemistry Branch	1

(Continued)

	No. of Copies
Commanding Officer Army Research Office Box CM, Duke Station Durham, North Carolina Attention: CRD-AA-IP	1
Atomic Energy Commission Division of Research Chemistry Programs Washington 25, D. C.	1
Atomic Energy Commission Division of Technical Information Extens Post Office Box 62 Oak Ridge, Tennessee	1 ion
Commanding Officer U.S. Army Chemical Research & Developmen Attention: Librarian Edgewood Arsenal, Maryland	1 t
Inspector of Naval Material 495 Summer Street Boston, Massachusetts	1
Commanding Officer Office of Naval Research Branch Office 495 Summer Street Boston, Massachusetts	1
Dr. H. S. Gutowsky Department of Chemistry University of Illinois Urbana, Illinois	1.
Dr. R. M. Fuoss Department of Chemistry Yale University New Haven, Connecticut	1 /
Dr. P. Debye Department of Chemistry Cornell University Ithica, New York	1

(Continued)

	No. of Copies
Dr. E. Yeager Department of Chemistry Western Reserve University Cleveland, Ohio	1
Dr. G. J. Janz Department of Chemistry Rensselaer Polytechnic Institute Troy, New York	1
Dr. B. R. Sundheim Department of Chemistry New York University New York, New York	1
Dr. W. A. Zisman Naval Research Laboratory Code 6100 Washington, D. C.	1
Dr. S. G. Reed Office of Naval Research Department of the Navy, Code 402C Washington, D. C.	1

Security Classification

(Security classification of title, budy of abstract and inde	ONTROL DATA - RED	-cd when	the questi especial is alreading)
1. ORIGINATING ACTIVITY (Corporate author)	2	a REPO	RT SECURITY C LASSIFICATION
Arthur D. Little, Inc.	ŀ		NCLASSIFIED
15 Acorn Park	2	6 GROU	P
Cambridge, Massachusetts			
3 RÉPORT TITLE			
Physical Chemistry of the	Deep Ocean Envir	onmen	<u> </u>
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)	· 		
Technical Report			
S. AUTHOR(S) (Last name, first name, initial)			
Horne, R. A.			
6 REPORT DATE	74- TOTAL NO. OF PAG	F Q	75. NO. OF REFS
May 1, 1965	23		23
8. CONTRACT OR GRANT NO. Nonr-4424(00)	94. ORIGINATOR'S REPO	RT NUM	BER(S)
Task No. NRO51-460	11		
c	\$5. OTHER REPORT NO	S) (Any (other numbers that may be assigned
d:			
10. AVAILABILITY/LIMITATION NOTICES			
Qualified requestors may obtain cor	pies of this repor	rt f r o	m DDC.
11 SUPPLEMENTARY NOTES	12- SPONSORING MILITAR	Y ACTIV	UTY .
	Office of Nav		
	Department of		Navy
10 4 00 00 4 00 00	Washington, D). C.	
13 ABSTRACT		•	
Naval operations occur above, on, an	id in a medium whi	ch is	easily one of

Naval operations occur above, on, and in a medium which is easily one of the most complex and ill-understood substances known to man - sea water. The concurrence of relatively low temperatures (-1 to +4°C) and high hydrostatic pressures (up to about 15,000 lbs/in²) in the ocean depths further complicates the situation and makes the deep ocean perhaps the most extraordinary environment in our universe. This paper reviews the results of some simple experiments which we have performed in our laboratory over recent years in a simulated deep ocean environment (Fig 1).

Security Classification	LINK A		LINK 9		LINKC	
KEY WORDS	ROLE	WT	ROLE	WT	ROLE	·WT
Oceanography, marine environment, high pressure,]	
sea water, electrical conductivity, viscosity,]	·			ľ	
	Ĭ		! {		f	
magnesium sulfate, corrosion, batteries, ion-	Į		<u> </u>		J)
exchange equilibrium.	[[}	
	ł	[ļ Ī		ŀ	ļ
	ł		1		İ	ĺ
	Į.	•	}		į	}
	١-) -	ľ 1		}	
	•	•)	}
		}	<u> </u>		ļ	}
	ļ	ł	[}	}
A.	1	1				
	į.		(İ	[

INSTRUCTIONS

- 1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantes, Department of Defense activity or other organization (corporate author) issuiting the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whicher "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in Diel Directive 5200.10 and Armed Forces Industrial Manual. Emiler the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as against and
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classified tion, show title classification in all capitals in parenthenian immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the types of report, e.g., interim, progress, summary, annual, or finil. Give the inclusive dates when a specific reporting periodiscovered.
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle infilial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date apprents on the report, use date of publication.
- 7s. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter title number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- 8a. CONTRACT OR GRANT NUMBER: If appropriate, the applicable number of the contract or grant under whith the report was written.
- 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the colinical report number by which the document will be identified and controlled by the originating activity. This number : mast be unique to this report.
- 9b. OTHER REPORT NUMBER(8): If the report has been assigned any other report numbers (either by the originaler or by the aponeor), also enter this number(s).
- 10. AVAILABILITY/LIMITATION NOTICES: Enter unty Limitations on further dissemination of the report, other tiess khome

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
- . (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explana-
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summery of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS). (S). (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 weeks.

14. KEY WORDS: Key words are technically meaningful terms or abort phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Mentiflers, such as equipment model designation, trade mane, military project code name, gaographic location, may be used as boy words but will be followed by an indication of technical context. The assignment of links, rales, and weights is optional.